| 1  | [Green Building, Environment Codes - Better Roof Requirements for Renewable Energy<br>Facilities]   |
|----|---|
| 2  | •   |
| 3  | Ordinance amending the Green Building Code and the Environment Code to establish  |
| 4  | requirements for certain new building construction facilitating development of  |
| 5  | renewable energy facilities; updating provisions of the Green Building requirements for   |
| 6  | City buildings; setting an operative date of January 1, 2017; providing findings as to  |
| 7  | local conditions pursuant to the California Health and Safety Code; directing the Clerk   |
| 8  | of the Board of Supervisors to transmit the ordinance to appropriate State officials; and   |
| 9  | affirming the Planning Department's determination under the California Environmental  |
| 10 | Quality Act.  |
| 11 | NOTE: Unchanged Code text and uncodified text are in plain Arial font.  |
| 12 | Additions to Codes are in <i>single-underline italics Times New Roman font</i> .<br>Deletions to Codes are in <i>strikethrough italics Times New Roman font</i> . |
| 13 | Board amendment additions are in <u>double-underlined Arial font</u> .<br>Board amendment deletions are in strikethrough Arial font.                              |
| 14 | Asterisks (* * * *) indicate the omission of unchanged Code subsections or parts of tables.   |
| 15 |   |
| 16 | Be it ordained by the People of the City and County of San Francisco:   |
| 17 |   |
| 18 | Section 1. CEQA Findings. The Planning Department has determined that the actions   |
| 19 | contemplated in this ordinance comply with the California Environmental Quality Act   |
| 20 | (California Public Resources Code Sections 21000 et seq.). Said determination is on file with   |
| 21 | the Clerk of the Board of Supervisors in File No. 160154 and is incorporated herein by  |
| 22 | reference. The Board affirms this determination.  |
| 23 |   |
| 24 | / / /   |
| 25 | / / /   |

1

Section 2. General Findings.

(a) The California Building Standards Code is contained in Title 24 of the California
Code of Regulations, and consists of several parts that are based upon model codes with
amendments made by various State agencies. The California Green Building Standards
Code, also known as the CALGreen Code, is Part 11 of Title 24 of the California Code of
Regulations, and San Francisco has enacted the San Francisco Green Building Code as
amendments to the 2013 California Green Building Standards Code.

8 (b) Local jurisdictions are required to enforce the California Green Building Standards
9 Code but they may also enact more stringent standards when reasonably necessary because
10 of local conditions caused by climate, geology, or topography.

(c) The Building Inspection Commission considered the applicable sections of this
ordinance at a duly noticed public hearing on March 16, 2016. The Commission on the
Environment considered the applicable sections of this ordinance at a duly noticed public
hearing on March 22, 2016.

15

Section 3. Findings Regarding Local Conditions Required by the California Health and
 Safety Code.

(a) California Health & Safety Code Section 17958.7 provides that before making any
changes or modifications to the California Green Building Standards Code and any other
applicable provisions published by the State Building Standards Commission, the governing
body must make an express finding that each such change or modification is reasonably
necessary because of specified local conditions, and the findings must be filed with the State
Building Standards Commission before the local changes or modifications go into effect.

25

(b) The Board of Supervisors expressly declares that the following amendments to the
 San Francisco Green Building Code are reasonably necessary because of local climatic,
 topological, and geological conditions as listed below.

4

4 (1) As a coastal city located on the tip of a peninsula, San Francisco is
5 vulnerable to sea level rise, and human activities releasing greenhouse gases into the
6 atmosphere cause increases in worldwide average temperature, which contribute to melting of
7 glaciers and thermal expansion of ocean water – resulting in rising sea levels.

8 (2) San Francisco is already experiencing the repercussions of excessive CO<sub>2</sub> 9 emissions as rising sea levels threaten the City's shoreline and infrastructure, have caused 10 significant erosion, increased impacts to infrastructure during extreme tides, and have caused 11 the City to expend funds to modify the sewer system.

(3) Some people in San Francisco, such as the elderly, may be particularly
 vulnerable to higher temperatures resulting from climate changes.

(4) Installing solar will help San Francisco meet its goals under
Ordinance No. 81-08, to have a greenhouse gas-free electric system by 2030 and to reduce
greenhouse gas emissions citywide to 40% below 1990 levels by 2025 and 80% by 2050.

(5) It is reasonably necessary to require building owners to take steps to reduce
the energy consumed by inefficient building operations and produce renewable, low-carbon
electricity, or capture solar heat, in order to reduce pollution, benefit biodiversity, improve
resilience to climate change by reducing localized heat islands, and reduce the global
warming effects of energy consumption.

22

(6) Installing solar heating or solar energy systems benefits the health, welfare,

and resiliency of San Francisco and its residents.

(c) Requiring solar water heating and/or solar photovoltaics at the time of new
 construction is more cost-effective than installing the equipment after construction because

1 workers are already on-site, permitting and administrative costs are lower, and it is more cost-2 effective to include such systems in existing construction financing. Based upon the findings 3 of a cost-effectiveness study performed on the more stringent local standards contained in the City's proposed amendments to the 2013 San Francisco Green Building Code, the Board of 4 Supervisors hereby determines that these local energy standards are cost-effective and will 5 6 save more energy than the standards contained in the 2013 California Green Building 7 Standards (CALGreen) Code (Title 24 Part 11) and the 2013 California Energy Standards 8 (Title 24 Part 6). A copy of the cost-effectiveness study is on file with the Clerk of the Board of 9 Supervisors in File No. 160154. 10 Section 4. The Green Building Code is hereby amended by revising Sections 202 and 11 12 301.1, adding Sections 4.201.2 and 5.201.1.2, and deleting Sections 5.103.1.5 and 5.103.2.3, 13 to read as follows: SEC. 202. DEFINITIONS. 14 GREENPOINT RATED, GREENPOINTS and GREENPOINTS CHECKLIST. The 15 16 residential green building rating system and checklist and certification methodology of the 17 non-profit organization Build It Green. 18 HIGH-RISE RESIDENTIAL BUILDING. For the purposes of this code, a building that is 19 of Occupancy Group R and is four stories or greater. 20 HISTORICAL RESOURCE. A property that meets the terms of the definitions in 21 Section 21084.1 of the CEQA Statute (The California Environmental Quality Act [Public 22 Resources Code Section 21084.1) and Section 15064.5 of the CEQA Guidelines, as 23 determined by the San Francisco Planning Department. LARGE COMMERCIAL BUILDING. A commercial building or addition of Group B, M, 24 A, or I occupancy that is 25,000 gross square feet or more. 25

LOW-RISE RESIDENTIAL BUILDING. For the purposes of this code, a building that is 4 of Occupancy Group R and is three stories or less or that is a one or two family dwelling or 5 6 townhouse. 7 MAJOR ALTERATIONS. Alterations where interior finishes are removed and 8 significant upgrades to structural and mechanical, electrical and/or plumbing systems are 9 proposed where areas of such construction are 25,000 gross square feet or more in Group B, M or R occupancies of existing buildings. 10 MID-SIZE COMMERCIAL BUILDING. A commercial building of Group B or M 11 12 occupancy that is 5,000 or more and less than 25,000 gross square feet, and is not a high-rise 13 building. NEWLY CONSTRUCTED (or NEW CONSTRUCTION). A newly constructed building 14 (or new construction) is a building that has never before been used or occupied for any 15 16 purpose and does not include additions, alterations or repairs. 17 NEW LARGE COMMERCIAL INTERIORS. First-time tenant improvements where 18 areas of such construction are over 25,000 gross square feet or more in Group B or M 19 occupancy areas of existing buildings. 20 NONRESIDENTIAL COMPLIANCE MANUAL. The document published by the California 21 *Energy Commission to aid in compliance and enforcement of the Title 24 California Building Energy* 22 Standards, for buildings of nonresidential occupancy and high-rise residential buildings. 23 RESIDENTIAL COMPLIANCE MANUAL. The document published by the California Energy

LEED® and LEED® CHECKLIST. The Leadership in Energy and Environment Design

rating system, certification methodology, and checklist of the United States Green Building

- 24 <u>Commission to aid in compliance and enforcement of the Title 24 California Building Energy</u>
- 25 <u>Standards, for low-rise residential buildings.</u>

Supervisors Wiener, Breed BOARD OF SUPERVISORS

1

2

3

Council (USGBC).

1

| 2  | SEC. 301.1. SCOPE.  |
|----|---|
| 3  | Buildings in the City and County of San Francisco_shall be designed to include the                    |
| 4  | green building measures specified as mandatory under the California Green Building                    |
| 5  | Standards Code (CalGreen).  |
| 6  | Additional green building requirements established by the City and County of San                      |
| 7  | Francisco are mandatory for:  |
| 8  | (1) Newly constructed Group R occupancy buildings,  |
| 9  | (2) Newly constructed buildings of Group B, M, A, and I occupancies that are                          |
| 10 | 25,000 gross square feet or more,   |
| 11 | (3) New first-time build-outs of commercial interiors that are 25,000 gross                           |
| 12 | square feet or more in buildings of Group B or M occupancies, and                                     |
| 13 | (4) Major alterations that are 25,000 gross square feet or more in existing                           |
| 14 | buildings of Group B, M or R occupancies, where interior finishes are removed and significant         |
| 15 | upgrades to structural and mechanical, electrical and/or plumbing systems are proposed.               |
| 16 | Exempt from additional local requirements of this chapter, unless otherwise noted, are:               |
| 17 | (1) Any new building in which laboratory use of any occupancy classification is the                   |
| 18 | primary use, and  |
| 19 | (2) Any building undergoing renovation in which the area of renovation will be primarily              |
| 20 | for laboratory use of any occupancy classification.   |
| 21 | (3) Any new building of Group B occupancy where electronic data processing an Internet                |
| 22 | Service Exchange, as defined in Section 102 of the Planning Code, will be the primary function        |
| 23 | use is exempt from the solar energy requirements of Section 5.201.1.2. All other relevant sections of |
| 24 | this code shall apply.  |
| 25 |   |

## 1 / / /

| 2  | SEC. 4.201.2. RENEWABLE ENERGY AND BETTER ROOFS   |
|----|---|
| 3  | (a) Newly constructed Group R occupancy buildings of 10 occupied floors or less and that                |
| 4  | apply for a building permit on or after January 1, 2017 shall install solar photovoltaic systems and/or |
| 5  | solar thermal systems in the solar zone required by California Code of Regulations (CCR), Title 24,     |
| 6  | <u>Part 6 Section 110.10.</u>   |
| 7  | (b) The minimum solar zone area for the project shall be calculated under Title 24, Part 6,             |
| 8  | Section 110.10(b) through (e), as applicable, and Residential Compliance Manual Chapter 7 or            |
| 9  | Nonresidential Compliance Manual Chapter 9, as applicable, except as provided below.                    |
| 10 | (1) For single family residences, Exceptions 3 and 5 to Title 24, Part 6,                               |
| 11 | Section 110.10(b)1A may be applied in the calculation of the minimum solar zone area. Exceptions 1,     |
| 12 | 2, 4, 6, and 7 may not be applied in the calculation.   |
| 13 | (2) For Group R Occupancy buildings other than single family residences,                                |
| 14 | Exceptions 3 and 5 to Title 24, Part 6, Section 110.10(b)1B may be applied in the calculation of the    |
| 15 | minimum solar zone area. Exceptions 1, 2, and 4 may not be applied in the calculation.                  |
| 16 | (3) Buildings with a calculated minimum solar zone area of less than 150 contiguous                     |
| 17 | square feet due to limited solar access under Exception 5 to Title 24, Part 6, Section 110.10(b)1A or   |
| 18 | Exception 3 to Title 24, Part 6, Section 110.10(b)1B are exempt from the solar energy requirements in   |
| 19 | this Section 4.201.2.   |
| 20 | (c) The sum of the areas occupied by solar photovoltaic collectors and/or solar thermal                 |
| 21 | collectors must be equal to or greater than the solar zone area. The solar zone shall be located on the |
| 22 | roof or overhang of the building, or on the roof or overhang of another structure located within        |
| 23 | 250 feet of the building or on covered parking installed with the building project. Solar photovoltaic  |
| 24 | systems and solar thermal systems shall be installed in accord with: all applicable State code          |
| 25 | requirements, including access, pathway, smoke ventilation, and spacing requirements specified in       |

|--|

- 2 *following performance requirements:*
- 3 (1) Solar photovoltaic systems: The total nameplate capacity of photovoltaic collectors
- 4 *shall be at least 10 Watts<sub>DC</sub> per square foot of roof area allocated to the photovoltaic collectors.*
- 5 (2) Solar thermal systems: Single family residential solar domestic water heating
- 6 <u>systems shall be OG-300 System Certified by either the Solar Rating and Certification Corporation</u>
- 7 (SRCC) or the International Association of Plumbing and Mechanical Officials (IAPMO). Solar
- 8 *thermal systems installed in all Group R occupancy buildings other than single family residences shall*
- 9 use collectors with OG-100 Collector Certification by SRCC or IAPMO, shall be designed to generate
- 10 *annually at least 100 kBtu per square foot of roof area allocated to the solar thermal collectors.*
- 11 Systems with at least 500 square feet of collector area shall include a Btu meter installed on either the
- 12 *collector loop or potable water side of the solar thermal system.*
- 13

## 14 SEC. 5.103.1.5. RENEWABLE ENERGY.

- 15 *Effective January 1, 2012, permit applicants must submit documentation verifying either:*
- 16 (1) Acquisition of renewable on-site energy or purchase of green energy credits in accord with
- 17 *LEED EA2 or EA6, or*
- 18 (2) Achieve a 10% compliance margin over Title 24 Part 6 2013 California Energy Standards.
- 19

## 20 SEC. 5.103.2.3 RENEWABLE ENERGY.

- 21 *Effective January 1, 2012, permit applicants must submit documentation verifying that either:*
- 22 (1) Acquisition of renewable on-site energy or purchase of green energy credits in accord with
- 23 *LEED EA2 or EA6, or*
- (2) In addition to meeting 5.103.2.5 Energy Performance requirement, achieve an additional
   10% compliance margin over Title 24 Part 6 (2013) California Energy Standards.

1

| 2  | SEC. 5.201.1.2. RENEWABLE ENERGY AND BETTER ROOFS   |
|----|---|
| 3  | (a) Newly constructed buildings of nonresidential occupancy that are of 10 occupied floors or                   |
| 4  | <u>less, are 2000 square feet or greater in gross floor area, and apply for a building permit on or after</u>   |
| 5  | January 1, 2017 shall install solar photovoltaic systems and/or solar thermal systems in the solar zone         |
| 6  | required by California Title 24, Part 6 Section 110.10.   |
| 7  | (b) The required solar zone area for the project shall be calculated under California of                        |
| 8  | Regulations (CCR), Title 24, Part 6, Section 110.10(b) through (e) and Nonresidential Compliance                |
| 9  | Manual Chapter 9, as applicable; provided, however that Exceptions 3 and 5 to Title 24, Part 6,                 |
| 10 | Section 110.10(b)1B may be applied in the calculation of the minimum solar zone area and Exceptions             |
| 11 | 1, 2, and 4 shall not be applied in the calculation. Buildings with a calculated minimum solar zone             |
| 12 | area of less than 150 contiguous square feet due to limited solar access under Exception 3 are exempt           |
| 13 | from the solar energy requirements in this Section 5.201.2.   |
| 14 | (b) The sum of the areas occupied by solar photovoltaic collectors and/or solar thermal                         |
| 15 | collectors must be equal to or greater than the solar zone area. The solar zone shall be located on the         |
| 16 | roof or overhang of the building, or on the roof or overhang of another structure located within 250            |
| 17 | feet of the building or on covered parking installed with the building project. Solar photovoltaic              |
| 18 | systems and solar thermal systems shall be installed in accord with all applicable state and local code         |
| 19 | requirements, manufacturer's specifications, and the following performance requirements:                        |
| 20 | (1) Solar photovoltaic systems: The total nameplate capacity of photovoltaic collectors                         |
| 21 | shall be at least 10 Watts <sub>DC</sub> per square foot of roof area allocated to the photovoltaic collectors. |
| 22 | (2) Solar thermal systems: Solar thermal systems installed to serve non-residential                             |
| 23 | building occupancies shall use collectors with OG-100 Collector Certification by the Solar Rating and           |
| 24 | Certification Corporation (SRCC) or the International Association of Plumbing and Mechanical                    |
| 25 | <u>Officials (IAPMO), shall be designed to generate annually at least 100 kBtu per square foot of roof</u>      |

| 1  | area allocated to the solar thermal collectors, and, for systems with at least 500 square feet of collector |
|----|---|
| 2  | area, shall include a Btu meter installed on either the collector loop or potable water side of the solar   |
| 3  | thermal system.   |
| 4  |   |
| 5  | Section 5. The Environment Code is hereby amended by adding Chapter 26,                                     |
| 6  | consisting of Section 2601, to read as follows:   |
| 7  | CHAPTER 26: BETTER ROOF REQUIREMENTS  |
| 8  | SEC. 2601. BETTER ROOF IMPLEMENTATION.  |
| 9  | (a) Purpose. The purpose of this Section 2601 is to track and support improvement of                        |
| 10 | requirements for newly constructed buildings which will increase the utility of rooftops by ensuring        |
| 11 | development of renewable energy resources.  |
| 12 | (b) The Department of the Environment shall:  |
| 13 | (1) Review and propose technical requirements for rooftop photovoltaic and solar                            |
| 14 | thermal systems and their performance and components, where not otherwise governed by applicable            |
| 15 | state or local codes. The Department of Building Inspection and the Planning Department may                 |
| 16 | contribute to the cost of technical support as well as the cost of public information programs              |
| 17 | supporting the implementation of the Better Roof program.   |
| 18 | (2) Recommend revisions to the Better Roof requirements of San Francisco Green                              |
| 19 | Building Code Sections 4.201.2 and 5.201.1.2 based on project data and other new information, to            |
| 20 | support the City's goals for greenhouse gas emissions reduction, environmental justice, provision of        |
| 21 | renewable energy, development of Zero Net Energy Buildings, biodiversity, and pollution prevention.         |
| 22 | (c) Reporting. The Environment Director shall collaborate with the Department of Building                   |
| 23 | Inspection, the Department of Planning, and the Public Utilities Commission to prepare and publish an       |
| 24 | annual report on the renewable energy resources developed in compliance with this Chapter 26, San           |
| 25 |   |

| 1  | Francisco Green Building Code Section 4.201.2, and San Francisco Green Building Code                   |
|----|--|
| 2  | <u>Section 5.201.1.2 et seq.</u>   |
| 3  |  |
| 4  | Section 6. The Environment Code is hereby amended by amending Section 706, to                          |
| 5  | read as follows:   |
| 6  | SEC. 706. SAN FRANCISCO-SPECIFIC LEED CREDIT REQUIREMENTS FOR  |
| 7  | MUNICIPAL CONSTRUCTION PROJECTS.   |
| 8  | (a) As part of the LEED Gold certification requirement for municipal construction                      |
| 9  | projects, the projects must achieve the following LEED credits:  |
| 10 | (1) Stormwater Management. The LEED Project Administrator shall submit                                 |
| 11 | documentation verifying that a construction project that is located outside the City and County        |
| 12 | of San Francisco achieves the LEED SS6.2 credit. Construction projects located within the              |
| 13 | City and County of San Francisco shall implement the applicable stormwater management                  |
| 14 | controls adopted by the San Francisco Public Utilities Commission (the "SFPUC"). All                   |
| 15 | construction projects shall develop and implement construction activity pollution prevention           |
| 16 | and stormwater management controls adopted by the SFPUC, and achieve LEED                              |
| 17 | prerequisite SSp1 or similar criteria adopted by the SFPUC, as applicable.                             |
| 18 | (2) Indoor Water Use Reduction. The LEED Project Administrator shall submit                            |
| 19 | documentation verifying a minimum $30\frac{\%}{percent}$ reduction in the use of indoor potable water, |
| 20 | as calculated to meet and achieve LEED credit WE3.2.   |
| 21 | (3) Energy Performance. Using an Alternative Calculation Method (ACM) approved by                      |
| 22 | the California Energy Commission, the LEED Project Administrator shall calculate the project's         |
| 23 | energy use, and compare it to the standard or "budget" building to achieve LEED credit EA1 by either:  |
| 24 | (A) A 15 percent compliance margin over Title 24, Part 6, 2008 California                              |
| 25 | Energy Standards; or,  |

| 1  | (B) Document compliance with Title 24, Part 6, 2008 California Energy  |
|----|--|
| 2  | Standards, including submittal of all standard documentation, and additionally demonstrate that the                |
| 3  | project achieves a 15 percent or greater compliance margin over the ASHRAE 90.1-2007 energy cost                   |
| 4  | baseline using the published LEED 2009 rules. Such analysis shall include all on-site building energy              |
| 5  | use, including exterior and security lighting, elevators, all process loads, and receptacle loads.                 |
| 6  | (3) (4) Renewable Energy. The LEED Project Administrator shall confer with   |
| 7  | SFPUC on renewable energy opportunities for municipal construction projects, including                             |
| 8  | photovoltaics, solar hot water and wind power. Space allocation and infrastructure for future                      |
| 9  | renewable energy installations shall be included in municipal construction projects, as advised by                 |
| 10 | SFPUC, including but not limited to structural capacity, wiring conduits, supply and return piping, and            |
| 11 | control wiring. The LEED Project Administrator shall submit documentation verifying that                           |
| 12 | either:  |
| 13 | (A) <u>The project meets LEED prerequisite EA 1 Energy Performance</u>   |
| 14 | requirement and demonstrates compliance with Title 24, Part 6 California Energy Standards in effect                |
| 15 | <u>at the time of the permit application; and, At least 1 percent of the building's energy costs are offset by</u> |
| 16 | on-site renewable energy generation, achieving LEED credit EA 2, including any combination                         |
| 17 | of: photovoltaic, solar thermal, wind, biofuel-based electrical systems, geothermal heating, geothermal            |
| 18 | electric, wave, tidal, or low impact hydroelectric systems, or as specified in Section 25741 of the                |
| 19 | California Public Resources Code; or,  |
| 20 | (B) <u>The project includes a combination of photovoltaic and/or solar thermal</u>                                 |
| 21 | area meeting the requirements of San Francisco Green Building Code Chapter 5, Division 5.2, or                     |
| 22 | demonstrates applicability of exceptions therein. In addition to meeting LEED prerequisite EA 1                    |
| 23 | Energy Performance requirement, achieve an additional 10 percent compliance margin over Title 24,                  |
| 24 | Part 6, 2008 California Energy Standards, for a total compliance margin of at least 25 percent.                    |
| 25 |  |

Supervisors Wiener, Breed **BOARD OF SUPERVISORS** 

1 (4) (5) Commissioning. The LEED Project Administrator shall submit 2 documentation verifying that the facility has been or will meet the criteria necessary to achieve 3 LEED credit EA 3.0 (Enhanced Commissioning), in addition to LEED prerequisite EAp1 4 (Fundamental Commissioning of Building Energy Systems.) 5 (5) (6) Enhanced Refrigerant Management. The LEED Project Administrator 6 shall submit documentation verifying that the project will reduce ozone depletion, while 7 minimizing direct contribution to climate change, achieving LEED credit EA 4. 8 (6) (7) Construction Debris Management. The LEED Project Administrator shall 9 submit documentation verifying the diversion of a minimum of 75% percent of the project's construction and demolition debris, as calculated to achieve LEED credit MR2.2. The project 10 11 must also satisfy; the requirements of Section 708. 12 (7) (8) IAQ Management: During Construction. The LEED Project Administrator 13 shall submit documentation verifying that the sponsoring City department has prepared and 14 implemented an Indoor Air Quality Management Plan that achieves LEED credit EQ 3.1. This 15 requirement includes meeting or exceeding the recommended Control Measures of the Sheet Metal and Air Conditioning National Contractors Association (SMACNA) IAQ Guidelines for 16 Occupied Buildings under Construction, 2nd Edition 2007, ANSI-SMACNA 008-2008 17 18 (Chapter 3). (8) (9) IAQ Management: Before Occupancy. The LEED Project Administrator 19 20 shall submit documentation verifying that the sponsoring City department has prepared and 21 implemented an Indoor Air Quality Management Plan that achieves LEED credit EQ 3.2. (9) (10) Low Emitting Materials. The LEED Project Administrator shall submit 22 23 documentation verifying that the project is using low-emitting materials, subject to onsite 24 verification, achieving LEED credits EQ 4.1. EQ 4.2. EQ 4.3. and EQ 4.4 wherever applicable: 25

| 1  | (A) Adhesives, sealants and sealant primers shall achieve LEED credit   |
|----|---|
| 2  | EQ 4.1. including compliance with South Coast Air Quality Management District (SCAQMD)                                  |
| 3  | Rule #1168, amended January 7, 2005.  |
| 4  | (B) Interior paints and coatings applied on-site shall achieve LEED credit  |
| 5  | EQ 4.2. including:  |
| 6  | (i) Architectural paints and coatings shall meet the VOC content  |
| 7  | limits of Green Seal Standard GS-11 (1st Edition, 1993).  |
| 8  | (ii) Anti-corrosive and anti-rust paints applied to interior ferrous  |
| 9  | metal substrates shall not exceed the VOC content limit of Green Seal Standard GC-03 (2nd                               |
| 10 | Edition, 1997) of 250 g/L.  |
| 11 | (iii) Clear wood finishes, floor coatings, stains, primers, and   |
| 12 | shellacs applied to interior elements shall not exceed SCAQMD Rule 1113 (2004) VOC                                      |
| 13 | content limits.   |
| 14 | (C) Flooring systems shall achieve LEED credit EQ 4.3 Option 1.   |
| 15 | including:  |
| 16 | (i) Interior carpet shall meet the testing and product requirements   |
| 17 | of the Carpet and Rug Institute Green Label Plus program.   |
| 18 | (ii) Interior carpet cushioning shall meet the requirements of the  |
| 19 | Carpet and Rug Institute Green Label program.   |
| 20 | (iii) Hard surface flooring, including linoleum, laminate flooring,   |
| 21 | wood flooring, ceramic flooring, rubber flooring, and wall base shall be certified as compliant                         |
| 22 | with the FloorScore standard, provided, however, that 100 <u>% <i>percent</i></u> reused or 100 <u>% <i>percent</i></u> |
| 23 | post-consumer recycled hard surface flooring may be exempted from this LEED credit EQ 4.3                               |
| 24 | requirement. Projects exercising this exemption for hard surface flooring shall otherwise be                            |
| 25 | eligible (or LEED credit EQ 4.3.)   |

1 (D) Interior composite wood and agrifiber products shall achieve LEED 2 credit EQ 4.4 by containing no added urea formaldehyde resins. Interior and exterior 3 hardwood plywood, particleboard, and medium density fiberboard composite wood products shall additionally meet California Air Resources Board Air Toxics Control Measure for 4 5 Composite Wood (17 CCR 93120 et seq.), by or before the dates specified in those sections. 6 (E) Project sponsors are encouraged to achieve LEED Pilot Credit 2: 7 Persistent Bioaccumulative Toxic Chemicals Source Reduction: Dioxins and Halogenated 8 Organic Compounds. This standard is consistent with Environment Code Chapter 5: Non-PVC Plastics. 9 (10) (11) Indoor Chemical and Pollutant Source Control. The LEED Project 10 Administrator shall submit documentation verifying that the project will minimize and control 11 12 the entry of pollutants into buildings and later cross contamination of regularly occupied areas, 13 achieving LEED credit EQ 5. 14 Section 7. Effective Date; Operative Date. This ordinance shall become effective 30 15 days after enactment. Enactment occurs when the Mayor signs the ordinance, the Mayor 16 17 returns the ordinance unsigned or does not sign the ordinance within ten days of receiving it, 18 or the Board of Supervisors overrides the Mayor's veto of the ordinance. This ordinance shall 19 become operative on January 1, 2017. 20 21 Section 8. Transmittal to State Officials. The Clerk of the Board of Supervisors is 22 hereby directed to transmit this ordinance, upon enactment, to the California Building 23 Standards Commission for filing, pursuant to the applicable provisions of California law. 24 25

Supervisors Wiener, Breed BOARD OF SUPERVISORS

| 1  | Section 9. Scope of Ordinance. In enacting this ordinance, the Board of Supervisors           |
|----|---|
| 2  | intends to amend only those words, phrases, paragraphs, subsections, sections, articles,      |
| 3  | numbers, punctuation marks, charts, diagrams, or any other constituent parts of the Municipal |
| 4  | Code that are explicitly shown in this ordinance as additions, deletions, Board amendment     |
| 5  | additions, and Board amendment deletions in accordance with the "Note" that appears under     |
| 6  | the official title of the ordinance.  |
| 7  |   |
| 8  |   |
| 9  | APPROVED AS TO FORM:  |
| 10 | DENNIS J. HERRERA, City Attorney  |
| 11 |   |
| 12 | By:<br>JUDITH A. BOYAJIAN   |
| 13 | Deputy City Attorney  |
| 14 |   |
| 15 | n:\legana\as2016\1600092\01099387.docx  |
| 16 |   |
| 17 |   |
| 18 |   |
| 19 |   |
| 20 |   |
| 21 |   |
| 22 |   |
| 23 |   |
| 24 |   |
| 25 |   |
|    |   |